

WELDING EQUIPMENT

STUD / DENT / SPOT



PAI27510, PAI27551

Handi-Pull Kit

- Autobody Dent Pulling Attachment
- For pulling by hand or used with Quick Pry
- Includes stud welding tip
- Comfortable, easy to use handle

PAI27510 - Handi-Pull Kit

PAI27551 - Tip (pkg of 3)



PAI27466

Quick Pry

- Heavy duty steel construction for uncompromising strength
- Multi position footpad allows for a variety of pulling angles



PAILAS-8

LAS-8 Autospot Welder

A portable one stop work station for single sided resistance welding, squeeze type resistance welding, heat shrinking, and dent pulling. The pinch welding electrodes are liquid cooled all the way to the tips to ensure consistent welds as well as long life. Completely programmable to meet the variety of requirements in auto body repair.

- Single Sided Welding Gun and Ground Cable
- External Coolant Circulator
- Suspension Arm For Easy Handling
- Liquid Cooled, Pneumatic Pinch Gun
- Heavy Duty Steel Construction Throughout
- Includes Cart for Easy Portability
- Locking Caster To Reduce Movement while Welding



| Primary Voltage | KVA | Line Fuse | Size | Power Input Cable | Maximum Capacity | Welding Cycle Duty |
|----------------------------------|-----|-------------|--------------------|-------------------|--|--------------------|
| 208/230 Single Phase 60/50 HZ | 8 | 50 Amp 26"L | 44" H x 20" W Wire | 25' NO.10/3 | 20 ga. (single sided) 3pc. 18 ga. (smart gun) | 50% |

INDUCTION HEATING



CEG130538

Autotron 3300 Induction Heating System

- Fast, flameless, electromagnetic heating system for R & I of adhesive-bonded auto parts such as encapsulated windows, SMC panels, side mouldings, after market parts like plastic vent shades and fender flares, as well as hundreds of other applications.
- 110 V, can be converted to 220 V yielding 3300 watts of output power - Adjustable power control
- Compact size 9" x 9" x 14"
- INCLUDES: Cart, Glass Pro, Bolt Pro, Body Pro, & 3 Versa Wedges



CEG124679, CEG124680, CEG124367

Replacement Inductors

- CEG124679 - Glass Pro - Primary heating attachment for the removal of windshields and other automotive glass
- CEG124680 - Bolt Pro - Can be used in many of the same applications as tradition propane torches, without the high risk of explosion, or accidental fires.
- CEG124367 - Body Pro - Most often used for painted side molding removal, as well as the removal of pin stripes, vinyl graphics, and emblems



CEGP12030648

Magnepopper Concentrator PDR Inductor

- Used for PRD repair and concentrated heating of fasteners
- A heating attachment that allows technicians to remove soft dents by heating the panel behind the paint



CEG128834

Versa Wedges

- Strong, flexible, non-marking

WELDING EQUIPMENT

INDUCTION HEATING



INDUCTOR MAX

- The Inductor Max Induction Heat system brings portability to the table for the conservative body shop. This light weight kit is all contained in a portable tool box for easy storage and mobility
- Comes mounted in a light weight durable toolbox with additional room for all of your attachments.
- Dimensions: 22 1/2"L x 11"W x 10 1/2"H
- Weight: 13 lbs. (power supply alone)
- UL/CSA Listed GFI (ground fault interrupter) protects entire unit for user safety
- Power Requirements: 120v 20 amps



PAIM-20004 Max 3

- Universal Series Attachments:
 - FAST-OFF Pad
 - Glass Blaster
 - Concentrator



PAIM-20003 Max 4

- Universal Series Attachments:
 - FAST-OFF Pad
 - Glass Blaster
 - Concentrator
 - Rosebud



PAIGB-20001 Glass Blaster Kit

- The Inductor Glass Blaster Kit has one (hardwired) attachment and is used for removing bonded in automotive glass. It Releases the urethane in hard to reach areas were other glass tools can't. No damage to the encapsulant or frit (blackout masking).
- No Wires, No Knives, No Consumables
- Comes mounted in a light weight durable toolbox with room for the attachment and much more.



PAIMD-600 Mini-Ductor

- Preferred by Mechanics
- The MINI-DUCTOR is a hand-held device that comes with a built-in power supply, one Nut-Z-off coil, one Bearing Buddy (rope) coil, a U-form coil (23" insulated wire), and an owners manual.
- Makes removal of stuck nuts and bearings easy.



PAIMD99-601 Nut-Z-Off Coil

- 1 pc Nut-Z-off Coil (Pre-formed 3/4" coil)
- Use with MINI-DUCTOR



PAIMD99-602 U-Form Coil

- 1 pc U-Form coil (23" insulated wire) 10-pack
- Use with MINI-DUCTOR



PAIMD99-603 Bearing Buddy Coil

- Bearing Buddy, 1 pc magnetic rope coil
- Use with MINI-DUCTOR



PAIMD99-604 Mini-Pad Coil

- Mini-Pad remove stripes vinyl decals, release dimples on twisted panels, small mlds...
- Use with Mini-Ductor,



PAI-5859-03 I-Wedge 3pk

- The versatile I-Wedge helps ease the process of window and molding removal. Although the Inductor has a metal detecting meter to identify where the pinch weld is when removing a window, some windows have a larger pinch weld or mounting surface. The I-Wedge has calibration marks on one side to be used as a feeler gauge and can be referenced to the black masking on the glass. The user will then lay this reference mark on the outside of the glass again referring to the black masking, thus the edge of the I-Wedge will indicate where the urethane bond line lies. The rear edge of the I-Wedge is serrated to help grasp the window and prevent slippage, if needed.



PAIMD99-60123 Variety Pack

- 1 pc each Nut-Z-Off, U-Form, & Bearing Buddy Coils

WELDING EQUIPMENT

INDUCTION HEATING

INDUCTOR PRO MAX

- High Performance Magnetic Induction Heating System
- Ergonomically Designed and molded in High Temp / Impact Resistant Epoxy Polymers
- Unlike a basic block design, the Tapered Bodies and Beveled Edges on these attachments are more accessible to different contours and obstacles, offering the best of both worlds, additional Durability and Versatility.
- UL /CSA Listed GFI protects entire unit for safety.
- Storage for attachments included.
- Trouble Free Pneumatic Foot Switch.
- Audible and Visual power indicators.
- Inline connector resists tug damage offering best strain relief.
- Heats Aluminum and Steel.



PAIPM-2000-U3 Pro Max 3

- Universal Series Attachments:
 - FAST-OFF Pad
 - Glass Blaster
 - Concentrator



PAIPM-2000-U4 Pro Max 4

- Universal Series Attachments:
 - FAST-OFF Pad
 - Glass Blaster
 - Concentrator
 - Rosebud

MEC300425



Small Running Gear/Cylinder Racl

- Durable construction
- For gas cylinders no larger than 7" in diameter
- Maximum weight 75 lbs



CLKWE7000B



Welding Cart

- Heavy duty steel construction with rugged powder coat finish
- Fully mobile design - ideal for shop use
- 10.75" x 17.5" top shelf is perfect for many different welders



PAI22150



Service Cart

- Panelspotter/LENCOSPOT/LENCOPULL - Service cart
- Proper height for for spotting tops, and yet it will be low enough to easily spot in a wheel housing.
- Made of heavy gauge steel
- 28" high, 23 lbs



PAIPMC-07



Pro Max Universal Cart

- Tilt back design helps prevent cart from rolling and causing damage to the vehicle
- Sturdy, powder coated all welded construction and Made in the USA
- Includes two welded hangers for cords or hoses
- Undershelf location for your welding bottle



PAIEC-08



Economy Cart

- Steel Construction (assembly required)
- Two lower shelves / two cord hangers
- With Pro Max's storage compartment, three full shelves for attachments and accessories
- Also fits most MIG Welders



CARTS

LIEK2275-1



Welding Cart

- Designed to store and transport a welder, 80 cubic foot gas cylinder, welding cables and accessories.
- Includes an angled top shelf for easy access to welder controls, a lower tray for added storage space, a sturdy handle and a convenient cable wrap hanger.



LIEK520



Utility Cart

- Accommodates power source, gas cylinder, tools and welding accessories
- Includes adjustable handle, front casters, and rear wheels
- Dimensions (HxWxD): 30 (min.)/34 (max.) x 18 x 35 inches

